PALLET
RACKING
SYDNEY

+ Newcastle

PALLET RACKING

SSI SCHÄFER

Pallet Racking is the most popular and economical form of racking. Providing safe 100% selective storage up to 11m in height, it fully utilises valuable air space. Pallet Racking can be designed to meet virtually any pallet size or weight and can be used in conjunction with all types of lift trucks. A wide range of accessories is available to accommodate non-standard loads.

Galvanised Pallet Racking is specifically designed to provide effective protection from all temperature ranges, and environments and will stand the test of extreme humidity and variable temperatures. Galvanised racking is most commonly installed outdoors.

A — PALLET RACK FRAME

DEPTH mm	HEIGHT mm	PRODUCT CODE
838	2450	PRFI62450
	3050	PRFI63050
	3650	PRFI63650
	4250	PRFI64250
	4850	PRFI64850
	6050	PRFI66050

B — PALLET U-BEAM

LENGTH mm	HEIGHT mm	PRODUCT CODE
1381	80	PRUBI61381
2600	80	PRUBI62600

C — PALLET RACK BEAM

LENGTH mm	HEIGHT mm	PRODUCT CODE
2600	80	PRBI6260080
	92	PRBI6260092
	110	PRBI62600110
	150	PRBI62600150
2752	92	PRBI6275292
	110	PRBI62752110
3000	105	PRBI63000105
3300	105	PRBI63300105
3900	150	PRBI63900150

D — GALVANISED PALLET RACK FRAME

DEPTH mm	HEIGHT mm	PRODUCT CODE
838	2450	GPRFI62450
	3050	GPRFI63050
	3650	GPRFI63650
	4250	GPRFI64250
	4850	GPRFI64850
	6050	GPRFI66050

E — GALVANISED PALLET RACK BEAM

LENGTH mm	HEIGHT mm	PRODUCT CODE

ADD-ONS & ACCESSORIES

	ACCESSORY	PRODUCT CODE
F	Shelf Support Bar - 838mm L	PRSB838
G	Corner Guard - 400mm H	PRCORG400
H	Column Guard - 400mm H	PRCOLG400
I	Single Bay End Protector - 400mm H	PREPSB400
J	Double Bay End Protector - 400mm H	PREPDB400
K	Safety Pin	PRSPI6
L	Row Spacer - 430mm	PRRSI6430
M	Fork Entry Bar - 840mm	PRFEB840
N	Safe Workload Sign w Clips	PRSWLSC

O — TIMBER SHELF

TIMBER SHELF	DEPTH mm	LENGTH mm	PRODUCT CODE
Suits 1381mm L Beams	840	1360	PRTS1360840
Suits 2600mm L Beams	840	2575	PRTS2575840
Suits 2752mm L Beams	840	2720	PRTS2720840

P — MESH DECK

MESH DECK	DEPTH mm	LENGTH mm	PRODUCT CODE
Suits 1381mm L Beams	840	1360	PRMD1360840
Suits 2600mm L Beams	840	2575	PRMD2575840
Suits 2752mm L Beams	840	2720	PRMD2720840

|							
A	Frame	**B**	U-Beam	**C**	Beam	**D**	Galvanised Fame
E	Galvanised Beam	**F**	Support Bar	**G**	Corner Guard	**H**	Column Guard
I	Single Bay Protector	**J**	Double Bay Protector	**K**	Safety Pin	**L**	Row Spacer
M	Fork Entry Bar	**N**	Safe Work Load Sign	**O**	Mesh Deck	**P**	Timber Shelf

CANTILEVER RACKING

SINGLE SIDED

Arm Length

Height

Bay Width

DOUBLE SIDED

Arm Length

Height

Bay Depth

Cantilever Arms are adjustable; meaning you can tailor the system to your specific storage requirements. Each arm has a load capacity of 250 kg and a wide load bearing surface designed to prevent load pressure from damaging your stock.

Arms are connected to the upright columns with a pivot pin system to prevent forklift damage when loading or unloading the level below.

Cantilever Arms are fitted with a removable end stop pin to retain product within the length of the arm.

HEAVY DUTY CANTILEVER RACKING

With exceptional load bearing capacity, Heavy Duty Cantilever Racking is the ideal solution for storage of oversized or bulky items such as plastic tubing, hose, steel pipes, profiles, wooden planks and heavy coils. It can be installed for single or double sided usage. Adjustable cantilever arms allow easy adjustment to all storage heights and loads.

Ideal for:

- ✔ Timber Storage
- ✔ Steel Merchants
- ✔ Plumbing
- ✔ Electrical conduits
- ✔ Hose Rack

Powder Coated   Galvanised

HEAVY DUTY POWDER COATED CANTILEVER RACK

|	HEIGHT mm	WIDTH mm	STARTER BAY PRODUCT CODE	ADD-ON BAY PRODUCT CODE
SINGLE SIDED	4200	1200	CRHDSSS420120	CRHDSSA420120
		1500	CRHDSSS420150	CRHDSSA420150
		2100	CRHDSSS420210	CRHDSSA420210
DOUBLE SIDED	4200	1200	CRHDDSS420120	CRHDDSA420120
		1500	CRHDDSS420150	CRHDDSA420150
		2100	CRHDDSS420210	CRHDDSA420210

EXTRA POWDER COATED CANTILEVER ARMS

DESCRIPTION	PRODUCT CODE
Arm - 1200mm Long, 1000KG Capacity	CRHDARM120
Removable Arm End Stop - 2000mm Long	CRHDESP20

HEAVY DUTY GALVANISED CANTILEVER RACK

	HEIGHT mm	WIDTH mm	STARTER BAY PRODUCT CODE	ADD-ON BAY PRODUCT CODE
SINGLE SIDED	4200	1200	GCRHDSSS420120	GCRHDSSA420120
		1500	GCRHDSSS420150	GCRHDSSA420150
		2100	GCRHDSSS420210	GCRHDSSA420210
DOUBLE SIDED	4200	1200	GCRHDDSS420120	GCRHDDSA420120
		1500	GCRHDDSS420150	GCRHDDSA420150
		2100	GCRHDDSS420210	GCRHDDSA420210

EXTRA GALVANISED CANTILEVER ARMS

DESCRIPTION	PRODUCT CODE
Arm - 1200mm Long, 1000KG Capacity	GCRHDARM120
Removable Arm End Stop - 2000mm Long	GCRHDESP20

MEDUIM DUTY CANTILEVER RACKING

Medium Duty Cantilever Racking is an economical solution for storing long products where the high load capacity of Heavy Duty Cantilever is not required. This racking can be installed for single or double sided usage.

MEDIUM DUTY CANTILEVER RACK

	HEIGHT mm	WIDTH mm	STARTER BAY PRODUCT CODE	ADD-ON BAY PRODUCT CODE
SINGLE SIDED	2900	1200	CRMDSSS290120	CRMDSSA290120
		1500	CRMDSSS290150	CRMDSSA290150
DOUBLE SIDED	2900	1200	CRMDDSS290120	CRMDDSA290120
		1500	CRMDDSS290150	CRMDDSA290150

EXTRA MEDUIM DUTY CANTILEVER ARMS

DESCRIPTION	PRODUCT CODE
Arm - 800mm Long, 250KG Capacity	CRMDARM80
Removable Arm End Stop - 200mm Long	CRMDESP20

LONGSPAN SHELVING

Longspan shelving is a strong, durable and economical solution for your storage needs. This type of shelving is ideal for products ranging from small parts to long, heavy and bulky goods.

Longspan shelving is very fast and easy to assemble. It uses a modular design with a bolt free lock-in system which requires no special tools, giving you maximum storage in minutes whatever your available space.

Longspan shelving has endless applications:

- Archive storage
- Automotive workshops
- Schools & colleges
- Retail storage
- Tyre storage
- Manufacturing plants
- Carpet storage
- General and home storage

Features:

✓ Fully adjustable shelf heights
✓ Modular Design
✓ Shelf Capacity = 350kg UDL per shelf
✓ Total Bay Load = 1400kg UDL

COMPLETE BAYS INCLUDE:

STARTER BAY
- 2 x End Frames
- 8 x Beams
- 4 x Shelves
- 16 x Safety Pins

ADD-ON BAY
- 1 x End Frame
- 8 x Beams
- 4 x Shelves
- 16 x Safety Pins

LONGSPAN COMPONANTS

STARTER BAY

ADD ON BAY

ADDITIONAL SHELF

LONGSPAN SHELVING with TIMBER SHELVES

Longspan fitted with timber shelves is an economical solution to your storage needs. Timber Shelves are cut to exact size to suit all standard lengths and depths

LONGSPAN SHELVING with 4 x ADJUSTABLE TIMBER SHELVES					
HEIGHT mm	DEPTH mm	LENGTH mm	STARTER BAY CODE	ADD-ON BAY CODE	ADDITIONAL SHELF CODE
2200	450	900	LSSB2204590T	LSAB2204590T	LSAS4590T
		1200	LSSB22045120T	LSAB22045120T	LSAS45120T
		1800	LSSB22045180T	LSAB22045180T	LSAS45180T
		2400	LSSB22045240T	LSAB22045240T	LSAS45240T
	600	900	LSSB2206090T	LSAB2206090T	LSAS6090T
		1200	LSSB22060120T	LSAB22060120T	LSAS60120T
		1800	LSSB22060180T	LSAB22060180T	LSAS60180T
		2400	LSSB22060240T	LSAB22060240T	LSAS60240T

LONGSPAN SHELVING with STEEL SHELVES

For a smoother crisp, clean finish and long term durability the choice is steel decks. Suited for all applications.

LONGSPAN SHELVING with 4 x ADJUSTABLE STEEL SHELVES					
HEIGHT mm	DEPTH mm	LENGTH mm	STARTER BAY CODE	ADD-ON BAY CODE	ADDITIONAL SHELF CODE
2200	450	900	LSSB2204590S	LSAB2204590S	LSAS4590S
		1200	LSSB22045120S	LSAB22045120S	LSAS45120S
		1800	LSSB22045180S	LSAB22045180S	LSAS45180S
		2400	LSSB22045240S	LSAB22045240S	LSAS45240S
	600	900	LSSB2206090S	LSAB2206090S	LSAS6090S
		1200	LSSB22060120S	LSAB22060120S	LSAS60120S
		1800	LSSB22060180S	LSAB22060180S	LSAS60180S
		2400	LSSB22060240S	LSAB22060240S	LSAS60240S

LONGSPAN SHELVING with MESH SHELVES

Longspan fitted with mesh shelves is the ideal choice for any application that requires minimal dust and free air circulation. This system is a perfect solution for archive storage. Mesh Shelves help reduce dust and dirt collection, the ultimate choice for archive storage.

LONGSPAN SHELVING with 4 x ADJUSTABLE MESH SHELVES					
HEIGHT mm	DEPTH mm	LENGTH mm	STARTER BAY CODE	ADD-ON BAY CODE	ADDITIONAL SHELF CODE
2200	450	900	LSSB2204590M	LSAB2204590M	LSAS4590M
		1200	LSSB22045120M	LSAB22045120M	LSAS45120M
		1800	LSSB22045180M	LSAB22045180M	LSAS45180M
		2400	LSSB22045240M	LSAB22045240M	LSAS45240M
	600	900	LSSB2206090M	LSAB2206090M	LSAS6090M
		1200	LSSB22060120M	LSAB22060120M	LSAS60120M
		1800	LSSB22060180M	LSAB22060180M	LSAS60180M
		2400	LSSB22060240M	LSAB22060240M	LSAS60240M

📞 1300 137 220

🌐 www.palletrackingsydney.com.au

f in 📷 @palletrackingsydneynewcastle

PALLET
RACKING
SYDNEY
+ Newcastle